

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 111 | (media or video) near3 distribution and (cache or buffer or preface or prefix) with (size or length or time) with bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") not print \$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:15 |
| L2 | 0 | speed match near3 playbck and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:42 |
| L3 | 13 | speed match near3 playback and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:42 |
| L4 | 627 | match\$5 near3 playback and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:43 |
| L5 | 32 | match\$5 near3 playback and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:43 |
| L6 | 1613 | playback and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:44 |
| L7 | 131 | playback same (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 16:44 |

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| L8 | 37 | playback and (preface or prefix) near3 size and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:04 |
| L9 | 163 | (preface or prefix) near3 client and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:05 |
| L10 | 4 | (preface or prefix) near3 client and (video or media) near distribution and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:10 |
| L11 | 136 | (preface or prefix or cache or buffer) with (video or media) with client and (video or media) near distribution and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:11 |
| L12 | 0 | STB near5 cache and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:18 |
| L13 | 0 | STB near5 cache\$6 and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:18 |
| L14 | 2 | STB near5 cach\$6 and (preface or prefix) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 17:18 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| L17 | 13 | (US-20080209067-\$ or US-20010044835-\$ or US-20030172134-\$ or US-20030163478-\$ or US-20020194310-\$ or US-20020007418-\$ or US-20030016630-\$ or US-20040148634-\$ or US-20030037331-\$).did. or (US-6848004-\$ or US-6868452-\$ or US-5568181-\$).did. or (WO-03007171-\$).did. | US-PGPUB; USPAT; DERWENT | ADJ | ON | 2010/04/09 18:37 |
| L18 | 0 | 12 and multicast | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 18:37 |
| L19 | 0 | 12 and multicast\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 18:37 |
| L20 | 2 | 17 and multicast\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 18:37 |
| S1 | 5768 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:23 |
| S2 | 300 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 same stream\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:23 |
| S3 | 129 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and dynamic with (bandwidth or speed or rate) with measur\$5 same stream\$5 and network\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:23 |

| | | | | | | |
|----|-----|---|---|-----|----|---------------------|
| S4 | 90 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 same stream\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:48 |
| S5 | 295 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:52 |
| S6 | 241 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and media | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:54 |
| S7 | 169 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and video | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:55 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S8 | 72 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and download | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 12:58 |
| S10 | 126 | (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and cache | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 13:01 |
| S11 | 13 | (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 13:04 |
| S12 | 507 | (real time or real\$time or real-time) with (bandwidth or speed or rate) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 13:06 |
| S13 | 5979 | (real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 13:07 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S14 | 215 | (real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or preload\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 13:08 |
| S15 | 141 | (real time or real\$time or real-time) with (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) and distribut\$5 near4 media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 13:15 |
| S16 | 548 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 15:07 |
| S17 | 232 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/15 15:10 |
| S18 | 2128 | (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 10:40 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S20 | 194 | (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and streaming and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 10:41 |
| S21 | 39 | (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and streaming and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 10:42 |
| S22 | 477 | (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 10:52 |
| S23 | 137 | (prefix or partial cache) with (measur\$5 or determin\$5 or calculat\$5) with (size) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 10:56 |
| S31 | 13 | (real time or real\$time or real-time) with (bandwidth or speed or rate) with measur\$5 and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S32 | 507 | (real time or real\$time or real-time) with (bandwidth or speed or rate) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |
| S33 | 5979 | (real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |
| S34 | 215 | (real time or real\$time or real-time) with (bandwidth or speed or rate) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and streaming media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |
| S35 | 141 | (real time or real\$time or real-time) with (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) and distribut\$5 near4 media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |
| S36 | 548 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S37 | 232 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with (download \$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach \$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |
| S38 | 210 | (S31 or S32 or S33 or S34 or S35 or S36 or S37) and microsoft.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:53 |
| S39 | 90 | (S31 or S32 or S34 or S35 or S36 or S37) and microsoft.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 13:56 |
| S40 | 1116 | (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) with buffer with size and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 15:09 |
| S41 | 138 | (bandwidth or speed or rate) with (measur\$5 or determin\$5 or calculat\$5) with buffer with size and (streaming) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/04/16 15:09 |
| S42 | 3 | "6601009".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2009/10/28 12:37 |

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S43 | 1631 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with media | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 15:54 |
| S44 | 125 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) with media and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 15:55 |
| S45 | 3 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same (media near4 distribution) and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 16:15 |
| S46 | 661 | (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) and media near4 distribution and (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 16:22 |

| | | | | | | |
|-----|-------|---|---|-----|----|---------------------|
| S47 | 48316 | (bandwidth or speed or rate) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache or cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:10 |
| S48 | 19303 | (bandwidth or speed or rate) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre \$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:11 |
| S49 | 2203 | (bandwidth) same (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:11 |
| S50 | 906 | (bandwidth) with (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:11 |

| | | | | | | |
|-----|----|--|---|-----|----|---------------------|
| S51 | 42 | (bandwidth) with (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (media or video) near3 distribution | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:12 |
| S52 | 34 | (variabl\$5 or adjustable or adjusting) with (preload\$4 or pre-load\$4 or pre load\$4 or precach\$4 or pre-cach\$4 or pre cach\$4 or prefix or pre buffer\$4 or prebuffer\$4 or pre-buffer\$4 or pre fetch\$4 or pre-fetch\$4 or pre\$fetch\$4 or partial cache) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") and (media or video) near3 distribution | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:27 |
| S53 | 24 | (media or video) near3 distribution and (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) with download\$5 and prefix and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:37 |
| S54 | 26 | (media or video) near3 distribution and (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same download\$5 and prefix and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:44 |
| S55 | 2 | (media or video) near3 distribution and (bandwidth or speed or rate) near3 (measur\$5 or determin\$5 or calculat\$5) same download\$5 and prefix and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") not S53 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:44 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S56 | 68 | (media or video) near3 distribution and (precach\$5 or pre-cach\$5 or pre cach\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") not S53 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 17:58 |
| S59 | 152 | (media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) with (size or length) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 18:11 |
| S60 | 322 | (media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) with (size or length or time) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 18:16 |
| S61 | 180 | (media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) near4 (size or length or time) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 18:18 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S62 | 130 | (media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) near4 (size or length or time) and bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 18:22 |
| S63 | 16 | (media or video) near3 distribution and (preload\$5 or pre-load\$5 or pre load\$5 or precach\$5 or pre-cach\$5 or pre cach\$5 or prefix or pre buffer\$5 or prebuffer\$5 or pre-buffer\$5 or pre fetch\$5 or pre-fetch\$5 or pre\$fetch\$5 or partial cache) near4 (size or length or time) same bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/08 18:23 |
| S64 | 278 | (media or video) near3 distribution and (size or length or time) with bandwidth with (calculat\$5 or determin\$5 or measur\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 12:52 |
| S65 | 11 | (media or video) near3 distribution and (cache or buffer) with (size or length or time) with bandwidth with (calculat\$5 or determin\$5 or measur\$5) and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 13:13 |
| S66 | 321 | (media or video) near3 distribution and (cache or buffer or preface or prefix) with (size or length or time) with bandwidth and (@pd<="20030808" or @ad<="20030808" or @rlad<="20030808" or @prad<="20030808") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/04/09 13:16 |

EAST Search History (Interference)

<This search history is empty>

4/9/2010 7:38:31 PM

C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10708260b.wsp